



# E5S Series VIDEOSCOPE


## GMGA MEASURING

No. 33 Alley 99/120 Dinh Cong Ha, Dinh  
Cong Ward, Hoang Mai District, 10000  
Hanoi City, Vietnam

Telephone: **+84 845 969 336**

Email: **[info@gmga.vn](mailto:info@gmga.vn)**

Website: **<https://gmga.vn/>**




# Multifunctional articulated borescope



Anti-slip silicone coated roller



2000mAh battery




**80°C**  
Automatic shut-down

Equipped with temperature sensor



Two-way easy to bending 180° and combine with dual lens



IP67 Waterproof



Full landscape 360°

Blue color mark is visible zone



Partical landscape 360°

Blue color mark is visible zone

## Package



## Specification

Series	E5S-62	E5S-85
Probe Diameter	6.2mm	8.5mm
Viewing Direction	0° Front View	0° front / 90° side Dual View
Camera Pixels	1MP	
D.O.F.	Front: 2-10cm	
F.O.V.	80°	70°
Image Resolution	1920*1080 (JPG)	
Video Resolution	1280*720(AVI)	
Probe Material	Tungsten wire material	
Light Source	4Pcs Led Lights	
Probe Length	1M / 2M	1M / 2M
Waterproof	Camera: IP67	
Display	5" IPS screen	
Display Resolution	854*480	
Structure	Handheld, integrated design	
Data Port	USB-C, TF Card slot(Support 64GB)	
Working Temperature	-10°C~50°C	
Working Time	≥3h	
Battery Capacity	2000mAh	
Certification	CE / RoHS / ISO9001	
Box Size	42*30.5*9.5 CM	

## Model

Model	Display	Tip Dia.	Length	Features
E5S-62012	5"	Ø6.2 mm	1M	
E5S-62022	5"	Ø6.2 mm	2M	
E5S-85012	5"	Ø8.5 mm	1M	
E5S-85022	5"	Ø8.5 mm	2M	
E5S-85012D	5"	Ø8.5 mm	1M	Dual Cameras
E5S-85022D	5"	Ø8.5 mm	2M	Dual Cameras